

WEST Search History

DATE: Sunday, January 23, 2005

09 734 105

Hide?	<u>Set</u> <u>Name</u>	<u>Query</u>	<u>Hit</u> <u>Count</u>
		<i>DB=PGPB,USPT,USOC,EPAB,JPAB,DWPI,TDBD; PLUR=YES; OP=ADJ</i>	
<input type="checkbox"/>	L10	(lock\$3 or prevent\$3 or inhibit\$4 or avoid\$3) with key\$1board with access\$3 same driv\$3 same (bit or byte or character\$4)	4
<input type="checkbox"/>	L9	('20020073342')!.PN. <i>Appeal cont'd</i>	2
<input type="checkbox"/>	L8	('20020073342')!.PN.	2
<input type="checkbox"/>	L7	L6 and secur\$3 with key\$1board with access\$3 same driv\$3 same (bit or byte or character\$4)	5
<input type="checkbox"/>	L6	L5 and secur\$3 with key\$1board with access\$3 same driv\$3	44
<input type="checkbox"/>	L5	secur\$3 with key\$1board with access\$3	451

END OF SEARCH HISTORY

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S1	1462	keyboard and ((usb and pci) near bus) and processor	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/14 13:00
S2	0	((keyboard and ((usb and pci) near bus) and processor) and (usb near10 (driver and controller))) and usbd and (usb near hcd)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/04/29 16:11
S3	51	(keyboard and ((usb and pci) near bus) and processor) and (usb near10 (driver and controller))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/04/29 16:13
S4	1	((keyboard and ((usb and pci) near bus) and processor) and (usb near10 (driver and controller))) and (secur\$3 near access near10 keyboard near driver)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/04/29 16:14
S5	1	((keyboard and ((usb and pci) near bus) and processor) and (usb near10 (driver and controller))) and (secur\$3 near10 keyboard near driver)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/04/29 16:15
S6	0	((keyboard and ((usb and pci) near bus) and processor) and (usb near10 (driver and controller))) and "bus traffic monitor"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/04/29 16:16
S7	10	((keyboard and ((usb and pci) near bus) and processor) and (usb near10 (driver and controller))) and secur\$3 and monitor\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/04/29 16:16
S8	9	((keyboard and ((usb and pci) near bus) and processor) and (usb near10 (driver and controller))) and secur\$3 and monitor\$3) not (((keyboard and ((usb and pci) near bus) and processor) and (usb near10 (driver and controller))) and (secur\$3 near access near10 keyboard near driver))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/05/02 09:18
S9	2	((control\$3 secur\$3 limit\$3) near10 access\$3 near (keyboard near driver))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/05/02 09:20

S10	0	((keyboard and (keyboard near driver) and processor and bus)) and (receiv\$3 near packet near keyboard)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/05/02 09:23
S11	1	((keyboard and (keyboard near driver) and processor and bus)) and (validat\$3 near10 packets)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/05/02 09:24
S12	1	((keyboard and (keyboard near driver) and processor and bus)) and (communicat\$3 near10 packets near20 processor near10 driver)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/05/02 09:25
S13	0	((keyboard and (keyboard near driver) and processor and bus)) and (authentikat\$3 near10 packets)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/05/02 09:26
S14	0	((keyboard and (keyboard near driver) and processor and bus)) and (determin\$3 near10 packets near origin)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/05/02 09:27
S15	202	(keyboard and (keyboard near driver) and processor and bus)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/05/02 11:22
S16	1	"5233658".PN.	USPAT	OR	OFF	2004/05/02 09:36
S17	1	"5153918".PN.	USPAT	OR	OFF	2004/05/02 09:36
S18	1	"5093861".PN.	USPAT	OR	OFF	2004/05/02 09:37
S19	1	"5083309".PN.	USPAT	OR	OFF	2004/05/02 09:38
S20	1	"5835791".PN.	USPAT	OR	OFF	2004/05/02 10:07
S21	1	"5748888".PN.	USPAT	OR	OFF	2004/05/02 10:08
S22	1	"5596718".PN.	USPAT	OR	OFF	2004/05/02 10:08
S23	1	"5586301".PN.	USPAT	OR	OFF	2004/05/02 10:08
S24	1	"5537544".PN.	USPAT	OR	OFF	2004/05/02 10:09
S25	1	"5377269".PN.	USPAT	OR	OFF	2004/05/02 10:09
S26	0	"2002/0164189".PN.	USPAT	OR	OFF	2004/05/02 10:20
S27	0	"2002/0077135".PN.	USPAT	OR	OFF	2004/05/02 10:20
S28	1	"6011495".PN.	USPAT	OR	OFF	2004/05/02 10:21
S29	1	"5667319".PN.	USPAT	OR	OFF	2004/05/02 10:21
S30	1	"6154836".PN.	USPAT	OR	OFF	2004/05/02 10:28
S31	1	"5802363".PN.	USPAT	OR	OFF	2004/05/02 10:29

S32	1403	log near in	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/05/02 10:40
S33	0	(log near in) and (local near (login or logon))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/05/02 10:41
S34	3	(log near in) and (keyboard near20 (login or logon))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/05/02 10:45
S35	0	(log near in) and (forc\$3 near20 (local near30 (login or logon)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/05/02 11:07
S36	1	"6571305".PN.	USPAT	OR	OFF	2004/05/02 10:46
S37	1	"6389029".PN.	USPAT	OR	OFF	2004/05/02 10:49
S38	1	"6006256".PN.	USPAT	OR	OFF	2004/05/02 10:56
S39	1	"6012101".PN.	USPAT	OR	OFF	2004/05/02 10:56
S40	1	"6012115".PN.	USPAT	OR	OFF	2004/05/02 10:56
S41	1	"6038616".PN.	USPAT	OR	OFF	2004/05/02 10:56
S42	1	"6078974".PN.	USPAT	OR	OFF	2004/05/02 10:57
S43	1	"6212584".PN.	USPAT	OR	OFF	2004/05/02 10:58
S44	1	"6353866".PN.	USPAT	OR	OFF	2004/05/02 10:58
S45	1	"6381666".PN.	USPAT	OR	OFF	2004/05/02 10:58
S46	1	"6381666".PN.	USPAT	OR	OFF	2004/05/02 10:59
S47	1	"6389029".PN.	USPAT	OR	OFF	2004/05/02 10:59
S48	2	"6629793".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/05/02 11:19
S49	75	local near (login or logon)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/05/02 11:11
S50	0	((local near (login or logon)) and ((verif\$3 or validat\$3) near keystrokes)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/05/02 11:12

S51	0	((local near (login or logon)) and ((verif\$3 or validat\$3) near keyboard)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/05/02 11:12
S52	0	((local near (login or logon)) and ((verif\$3 or validat\$3) near20 keyboard)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/05/02 11:12
S53	32	((local near (login or logon)) and (keyboard)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/05/02 11:13
S54	2	"6067589".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/05/02 11:19
S55	6	((keyboard and (keyboard near driver) and processor and bus)) and (secur\$3 near20 bit)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/05/02 12:09
S56	12300	secur\$3 near20 bit	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/05/02 12:09
S57	59	(secur\$3 near20 bit) and (keyboard near20 driver)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/05/02 12:10
S58	1	((secur\$3 near20 bit) and (keyboard near20 driver)) and (assign\$3 near10 (usb near address))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/05/02 12:10
S59	1	((secur\$3 near20 bit) and (keyboard near20 driver)) and ((usb near address))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/05/02 12:11
S60	1	((secur\$3 near20 bit) and (keyboard near20 driver)) and (packet near20 (usb near address))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/05/02 12:12

S61	0	((secur\$3 near20 bit) and (keyboard near20 driver)) and (initializ\$3 near20 keyboard)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/05/02 12:13
S62	3	((secur\$3 near20 bit) and (keyboard near20 driver)) and (initializ\$3 near20 keyboard)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/05/03 07:03
S63	2	"6630926".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/05/03 07:21
S64	12	usb near transfer near protocol	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/05/03 07:52
S65	0	(usb near transfer near protocol) and trafic	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/05/03 07:53
S66	10452	usb near bus	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/05/03 07:54
S67	0	(usb near bus) and (analyz\$3 near trafic)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/05/03 10:25
S68	2	"5748888".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/05/03 10:25
S69	2	"6067589".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/12 13:28
S70	2	"5748888".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/12 13:29

S71	2	"20020032853"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/12 13:28
S72	2	"6385647".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/12 13:29
S73	185	set\$4 near15 (secure near5 bit)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/14 13:03
S74	3	S73 and (keyboard near driver)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/14 13:04
S75	2	S73 and (determin\$4 near10 (packet near4 origin\$6))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/14 13:06
S76	183	S73 not (S74 and S75)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/14 14:34
S77	3	control\$4 near20 (access\$4 near5 (keyboard near driver))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/14 13:09
S82	128	((set\$4 or turn\$4) near15 ((safety or security) near bit))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/16 17:14
S83	2	"20030074565"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/16 18:29
S84	2	"6026506".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/16 18:29